Wikiprint Book

Title: Information about the batch system

Subject: DEEP - Public/User_Guide/Batch_system_torque

Version: 3

Date: 20.04.2025 04:59:27

Table of Contents

nformation about the batch system	3
Ressource allocation	3
Some useful commands	3

Information about the batch system

Ressource allocation

• Start an interactive session for example on one DEEP Cluster Node for 2.5 hours:

 \rightarrow qsub -I -X -I nodes=1:ppn=16:cluster,walltime=02:30:00

• Leave the interactive session:

 $\rightarrow \textit{exit}$

Submit a batch job:

ightarrow qsub job_script.sh

• Specify the nodes you want to use:

 \rightarrow -I nodes=x:ppn=y:cluster will allocate DEEP Cluster Nodes

- \rightarrow -/ nodes=x:ppn=y:booster will allocate DEEP Booster Nodes
- \rightarrow -I nodes=x:ppn=y:sdv will allocate SDV Cluster Nodes
- \rightarrow -l nodes=x:ppn=y:knl will allocate (randomly) SDV KNL Nodes
- \rightarrow -I nodes=x:ppn=y:knl:extoll will allocate SDV KNL Nodes with EXTOLL
- \rightarrow -I nodes=x:ppn=y:knl:nvme will allocate SDV KNL Nodes with NVMe
- The following job script can be used as a template for your own jobs:

```
#!/bin/bash
#PBS -S /bin/bash
#PBS -l nodes=[number of nodes]:ppn=[number of processes per node]:[nodetype]
#PBS -l walltime=[hours]:[minutes]:[seconds]
#PBS -e [path to your errorfiles]
#PBS -o [path to your outputfiles]
#PBS -m e
#PBS -M [your mail address]
#PBS -N [name of your program]
#PBS -d [path to your working directory]
#PBS -v LD_LIBRARY_PATH
module load parastation
[load all the modules you need]
mpiexec -np [number of processes] [executable]
```

Some useful commands

- $pbstop \rightarrow$ Shows system load and job overview.
- pbsnodes $-nl \rightarrow$ Shows information on nodes, that are currently not available.
- $\bullet \quad \textit{showres} \rightarrow \textit{Shows reservations.} \text{ (Only on deepm)}$
- $\mathit{showq} \rightarrow \mathit{Lists}$ active, idle and blocked jobs. (Only on deepm)
- $qstat u USER \rightarrow$ Shows jobs of a certain user.
- $qstat f JOBID \rightarrow Shows$ detailed information about a certain job (job id can be obtained by qstat -u).
- showstart JOBID \rightarrow Provides an estimated start time for a certain job. (Only on deepm)