Table of Contents

File Systems	2
Available file systems	2
Stripe Pattern Details	3
Additional infos	3
Notes	3

File Systems

Available file systems

On the DEEP-EST system, three different groups of file systems are available:

- the <a>?JSC GPFS file systems, provided via <a>?JUST and mounted on all JSC systems;
- the DEEP-EST (and SDV) parallel BeeGFS file systems, available on all the nodes of the DEEP-EST system;
- the file systems local to each node.

The users home folders are placed on the shared GPFS file systems. With the advent of the new user model at JSC (?JUMO), the shared file systems are structured as follows:

- \$HOME: each JSC user has a folder under /p/home/jusers/, in which different home folders are available, one per system he/she has access to.

 These home folders have a low space quota and are reserved for configuration files, ssh keys, etc.
- \$PROJECT: In JUMO, data and computational resources are assigned to projects: users can request access to a project and use the resources associated to it. As a consequence, each user can create folders within each of the projects he/she is part of (with either personal or permissions to share with other project members). For the DEEP project, the project folder is located under /p/project/cdeep/. Here is where the user should place data, and where the old files generated in the home folder before the JUMO transition can be found.

The DEEP-EST system doesn't mount the \$SCRATCH file systems from GPFS, as it is expected to provide similar functionalities with its own parallel and local file systems.

The following table summarizes the characteristics of the file systems available in the DEEP-EST and DEEP-ER (SDV) systems. Please beware that the \$project (all lowercase) variable used in the table only represents any JuDoor project the user might have access to, and that it is not really exported on the system environment. For a list of all projects a user belongs to, please refer to the user's YJuDoor page. Alternatively, users can check the projects they are part of with the jutil application:

\$ jutil user projects -o columns

Stand Point Stand Challer Type Stand of SSF Service Pattern Pattern Stands Stan

	adran					Details	(name (name(name(n))			
phone	-	Sin.,	GPFS equation co. MFS	Chihal				AUST GPVS Some densiony and only for miliposition See.		
-		sav. Skor ser	OPES reported to INFE	Cons				JUST GPPS Project descript GPPS main emaps the system; not restricted to performance artificial artificial artificial artificial artificial artificial artificial artificial		
inni	in the Spragner	lagin code anti-(dage)	GPFS expended ris NFS	Cintal				AUT OPTS familiar discourse discourse scientific for the second scientific for the second for th	If you plan to war fine and to, plants get in contact in the spoken administration (as you for the party of the party of t	
		OREP RET	Amily S	China	8=075 7.12			State State spatial and spati		
	-	OREP REZ		_				Employing spales for spales for services data till be desired or services for the services servi		
	- Complement	Outd partition	100 (A)	_				Small History and Company of the Com		
		Order partition	and SSD (and)	_				apalam for amprony data. USI for descript descript Contract (1) for Option ESD Option ESD Option ESD Option ESD Option ESD Option ESD Option (NVIII) NVIII) NVIII) NVIII) NVIII) NVIII) NVIII) NVIII) NVIII) NVIII) NVIII) NVIII) NVIII)		
		Cutte partition	OCPRESSION applicate made	_			22-Dilles sample sid see in dynamics		To Till in significant of the control of the contro	
advand	Andrewsk Spe	SDV (desperate residents partitions) (NC, and resignation (SM mig)	Basil/S	Cons	Ban076 2742	Type NADA, Charlesian 0 24. Santar of simple simple simple simple	(SE) AE BERN selle, (10062) BERN seel (1000 open) seens, E111 open) seenses	Winds Silvey, Silvey Silvey, Silvey Silvey, Si	contribution contribute contribute contribute contribute contribute	Bargu art (salles base disse des agreeds et és siver Bargu art (salles base disse des agreeds et és saltes ar
	increating	sov	NAME desire	_	8m694 2.62	Short size	11 ACCARDAN water, Scial Billion read 1204 AC ACCARD repub removed	1 Noble desire and SDV compute code	Plant marks and paramites and paramites used stored in-ABE. Last relicion (I stored in-ABE) Last	Swep ant to the James Homen Angelska kin (soor James Angelska kin (soor James Angelska kin (soor
instance	inthaund	sov	See CFS Co. Common naming on the MAN	_	BesSFE 7.12	Block size: 0.34	1130000ks write, 2607 688h resell 12601 openis oranie, 18600 openis	I BacOND Interest and hit bla denise	Test mains and parameter and parameter and test	ikang sati taliki kan dina aka jupuskan in tior ikang sati taliki kan dina aka jupuskan in talika

Stripe Pattern Details

It is possible to query this information from the deep login node, for instance:

```
manzano@deep $ fhgfs-ctl --getentryinfo /work/manzano
Path: /manzano
Mount: /work
EntryID: 1D-53BA4FF8-3BD3
Metadata node: deep-fs02 [ID: 15315]
Stripe pattern details:
+ Type: RAID0
+ Chunksize: 512K
+ Number of storage targets: desired: 4
manzano@deep $ beegfs-ctl --getentryinfo /sdv-work/manzano
Path: /manzano
Mount: /sdv-work
EntryID: 0-565C499C-1
Metadata node: deeper-fs01 [ID: 1]
Stripe pattern details:
+ Type: RAID0
+ Chunksize: 512K
+ Number of storage targets: desired: 4
```

Or like this:

```
manzano@deep $ stat -f /work/manzano
File: "/work/manzano"
         Namelen: 255
                              Type: fhgfs
Block size: 524288 Fundamental block size: 524288
Blocks: Total: 120178676 Free: 65045470 Available: 65045470
Inodes: Total: 0
                      Free: 0
manzano@deep $ stat -f /sdv-work/manzano
File: "/sdv-work/manzano"
  ID: 0 Namelen: 255
                             Type: fhgfs
Block size: 524288 Fundamental block size: 524288
Blocks: Total: 120154793 Free: 110378947 Available: 110378947
Inodes: Total: 0
                        Free: 0
```

See http://www.beegfs.com/wiki/Striping for more information.

Additional infos

Detailed information on the **BeeGFS Configuration** can be found ?here.

Detailed information on the BeeOND Configuration can be found ?here.

Detailed information on the Storage Configuration can be found ?here.

Detailed information on the Storage Performance can be found ?here.

Notes

• dd test @dp-dam01 of the DCPMM in appdirect mode:

```
[root@dp-dam01 scratch]# dd if=/dev/zero of=./delme bs=4M count=1024 conv=sync
1024+0 records in
1024+0 records out
4294967296 bytes (4.3 GB) copied, 1.94668 s, 2.2 GB/s
```

- The /work file system which is available in the DEEP-EST prototype, is as well reachable from the nodes in the SDV (including KNLs and ml-gpu nodes) but through a slower connection of 1 Gb/s. The file system is therefore not suitable for benchmarking or I/O task intensive jobs from those nodes
- Performance tests (IOR and mdtest) reports are available in the BSCW under DEEP-ER → Work Packages (WPs) → WP4 → T4.5 Performance measurement and evaluation of I/O software → Jülich DEEP Cluster → Benchmarking reports:
 ?https://bscw.zam.kfa-juelich.de/bscw/bscw.cgi/1382059
- Test results and parameters used are stored in JUBE:

```
user@deep $ cd /usr/local/deep-er/sdv-benchmarks/synthetic/ior
user@deep $ jube2 result benchmarks

user@deep $ cd /usr/local/deep-er/sdv-benchmarks/synthetic/mdtest
user@deep $ jube2 result benchmarks
```