# Wikiprint Book

Title: File Systems

Subject: DEEP - Public/User\_Guide/Filesystems

Version: 36

Date: 19.04.2025 17:17:52

# **Table of Contents**

File Systems	3
Available file systems	3
Stripe Pattern Details	4
Additional infos	4
Notes	4

## **File Systems**

### Available file systems

On the DEEP-EST system, three different groups of file systems are available:

- the <u>?JSC GPFS file systems</u>, provided via <u>?JUST</u> and mounted on all JSC systems;
- the DEEP-EST (and SDV) parallel BeeGFS file systems, available on all the nodes of the DEEP-EST system;
- the file systems local to each node.

The users home folders are placed on the shared GPFS file systems. With the advent of the new user model at JSC (<u>?JUMO</u>), the shared file systems are structured as follows:

- \$HOME: each JSC user has a folder under /p/home/jusers/, in which different home folders are available, one per system he/she has access to. These home folders have a low space quota and are reserved for configuration files, ssh keys, etc.
- \$PROJECT: In JUMO, data and computational resources are assigned to projects: users can request access to a project and use the resources
  associated to it. As a consequence, each user can create folders within each of the projects he/she is part of (with either personal or permissions to
  share with other project members). For the DEEP project, the project folder is located under /p/project/cdeep/. Here is where the user should
  place data, and where the old files generated in the home folder before the JUMO transition can be found.

The DEEP-EST system doesn't mount the \$SCRATCH and \$ARCHIVE file systems from GPFS, as it is expected to provide similar functionalities with its own parallel file systems.

The following table summarizes the characteristics of the file systems available in the DEEP-EST and DEEP-ER (SDV) systems. Please beware that the \$project (all lowercase) variable used in the table only represents any JuDoor project the user might have access to, and that it is not really exported on the system environment. For a list of all projects a user belongs to, please refer to the user's <a href="#">?JuDoor page</a>. Alternatively, users can check the projects they are part of with the jutil application:

\$ jutil user projects -o columns

or University withingst Claster Type Claster/ withings	Bill Standard Frank	Resident Residential Performance (sec (sec
jelenen ander ger konst jelenen jaar 2000 ger jelenen in geregen i		Removed (me tastrones) AUETOPVE Name desirery
promotion (2012) 2127 Promotion Control		anatimiy in onliganian lian AUET GPVS Pagari
opequation State and Arts		
		AUTOPFE Fynasian
		Antine on the dentry actine, Long-term plane print denge ontaris estates for data not activities
anti-Species Series and Arts a		America (agram) ang ina, agram) Data maling ha ngatarita (actual aga ant (actual inantin (actual) inantin (actual)
		Ban Kohan Ramory Laingtie Anni An Anni Anni Anni Anni Anni Anni Radol Ra Ban Radol Ra Ban
hentigraper DEP ET* Real/S. Const	8aa076 2.12	Anna an Anna a
housh 0007402 <mark>shinal</mark> low"		updam for surgeouxy data. UIII for deterning offer jok forderalj
		ticon related of top for entry top
		Errach Un spaken for screpnery data UR for decreating shortesting
A homelocald Cold (04) (04) (04)		Di José Di José Optore IED Data Carder (DC) Patienti (VUlla PCinil ed,
		2.0.30 3Point) Errant-Na spaan-Na singunary stat. UK be
investments and and and and		observant op alter joh Knistevalj 11.6 10 johan Optione 2020 Data Gamber
		Oci Palalas NVNe Cital al, 247,30 3Palej STRie
		22 GBA 22
(yeueniumade padilan applican inate		22 DBh Single di Series Spidendi Spidendi DBBh Sealar State
ADV (Angene sky realize size	Type NaDo, Decision	LEU AL BERNARD CALLER C
SDV intervents intervents SDR angle SDR angle	Type RADD, Doubles 2.4.3 Response Ansist 4	Likit AL Likit sehan, Likit
		enter de la composition de la
		1140000 Local
investop 82V Hilds datas Local	Bast275 Bintwise 7.12 K	11 al Sallina anta, 2010 (Sallina anta Al Sallina anta Al Sall
		6 mi Juan Juan 6 Julia Results
		Tani wa eni parante ceni tito a Jiliti
e innshaama 60v Baad/6.0n Banang m anning m	ResOFE Restator 7.12 0.26	1120000s (120000s) enin,2020 (12000s) GBD reach GBD reach GBD reach energin serverin,
		thickingshi dinke Russiansa samaa' Auroration Auroration Samaain Bandime
		t jui rand karde

#### **Stripe Pattern Details**

It is possible to query this information from the deep login node, for instance:

```
manzano@deep $ fhgfs-ctl --getentryinfo /work/manzano
Path: /manzano
Mount: /work
EntryID: 1D-53BA4FF8-3BD3
Metadata node: deep-fs02 [ID: 15315]
Stripe pattern details:
+ Type: RAIDO
+ Chunksize: 512K
+ Number of storage targets: desired: 4
manzano@deep $ beegfs-ctl --getentryinfo /sdv-work/manzano
Path: /manzano
Mount: /sdv-work
EntryID: 0-565C499C-1
Metadata node: deeper-fs01 [ID: 1]
Stripe pattern details:
+ Type: RAID0
+ Chunksize: 512K
+ Number of storage targets: desired: 4
```

#### Or like this:

```
manzano@deep $ stat -f /work/manzano
File: "/work/manzano"
  TD: 0
         Namelen: 255
                              Type: fhgfs
Block size: 524288 Fundamental block size: 524288
Blocks: Total: 120178676 Free: 65045470 Available: 65045470
Inodes: Total: 0
                      Free: 0
manzano@deep $ stat -f /sdv-work/manzano
File: "/sdv-work/manzano"
  ID: 0 Namelen: 255
                             Type: fhgfs
Block size: 524288 Fundamental block size: 524288
Blocks: Total: 120154793 Free: 110378947 Available: 110378947
Inodes: Total: 0
                        Free: 0
```

See <a>?http://www.beegfs.com/wiki/Striping for more information.</a>

#### Additional infos

Detailed information on the BeeGFS Configuration can be found ?here.

Detailed information on the BeeOND Configuration can be found ?here.

Detailed information on the Storage Configuration can be found ?here.

Detailed information on the Storage Performance can be found ?here.

#### Notes

• dd test @dp-dam01 of the DCPMM in appdirect mode:

```
[root@dp-dam01 scratch]# dd if=/dev/zero of=./delme bs=4M count=1024 conv=sync
1024+0 records in
1024+0 records out
4294967296 bytes (4.3 GB) copied, 1.94668 s, 2.2 GB/s
```

- The /work file system which is available in the DEEP-EST prototype, is as well reachable from the nodes in the SDV (including KNLs and ml-gpu nodes) but through a slower connection of 1 Gb/s. The file system is therefore not suitable for benchmarking or I/O task intensive jobs from those nodes
- Performance tests (IOR and mdtest) reports are available in the BSCW under DEEP-ER → Work Packages (WPs) → WP4 → T4.5 Performance measurement and evaluation of I/O software → Jülich DEEP Cluster → Benchmarking reports:
   <u>?https://bscw.zam.kfa-juelich.de/bscw/bscw.cgi/1382059</u>
- Test results and parameters used are stored in JUBE:

```
user@deep $ cd /usr/local/deep-er/sdv-benchmarks/synthetic/ior
user@deep $ jube2 result benchmarks
user@deep $ cd /usr/local/deep-er/sdv-benchmarks/synthetic/mdtest
user@deep $ jube2 result benchmarks
```