Table of Contents

File Systems	2
Available file systems	2
Stripe Pattern Details	3
Additional infos	3
Notes	3

File Systems

Available file systems

On the DEEP-EST system, three different groups of file systems are available:

- the <u>?JSC GPFS file systems</u>, provided via <u>?JUST</u> and mounted on all JSC systems;
- the DEEP-EST (and SDV) parallel BeeGFS file systems, available on all the nodes of the DEEP-EST system;
- the file systems local to each node.

The users home folders are placed on the shared GPFS file systems. With the advent of the new user model at JSC (<u>?JUMO</u>), the shared file systems are structured as follows:

- \$HOME: each JSC user has a folder under /p/home/jusers/, in which different home folders are available, one per system he/she has access to. These home folders have a low space quota and are reserved for configuration files, ssh keys, etc.
- \$PROJECT: In JUMO, data and computational resources are assigned to projects: users can request access to a project and use the resources
 associated to it. As a consequence, each user can create folders within each of the projects he/she is part of (with either personal or permissions to
 share with other project members). For the DEEP project, the project folder is located under /p/project/cdeep/. Here is where the user should
 place data, and where the old files generated in the home folder before the JUMO transition can be found.

The DEEP-EST system doesn't mount the \$SCRATCH and \$ARCHIVE file systems from GPFS, as it is expected to provide similar functionalities with its own parallel file systems.

The following table summarizes the characteristics of the file systems available in the DEEP-EST and DEEP-ER (SDV) systems. Please beware that the \$project (all lowercase) variable used in the table only represents any JuDoor project the user might have access to, and that it is not really exported on the system environment. For a list of all projects a user belongs to, please refer to the user's ?JuDoor page. Alternatively, users can check the projects they are part of with the jutil application:

\$ jutil user projects -o columns

her san	Briga	Rasinan Rasarat
her ean richteal altean Type Gabail / Lond	Ell'Innian Brige Datam Grain	Examinan Examuni Antinenanan (see Antinenanan Antin Anti Anti Antin
nteresjoner Billinger with a second sec		dentry wariniyler seriguation Sin Juli GPVS
aportentige State aport		Project discovery OPES main exceeps the spakes; not substitut
		erinnanse viener systemisen er benimating
		JUET GPF3 Fyna plen Anfria wa Ra diantery arbita, Longiam plana gar atauge castar to adalan far fa sprian
ninigenper ^{Ingles} tation anti-(despect WE		data da analita (a galada lang inar Data maling la migunatina (kurana) lang mali lang nati (kurana)
		in d unal and una fan, in in in Rennwy unigite an tale anti- den in Statute to the
neklynyn DEP EE' BadPS. Cinid	Bas075 2.1.2	spalen, me analisis kankap, da DV berus tak maan tak parmanani da storapi comuni
		Ecount-Nia quatern for Serrymmy data. Will be charmed op after jok fotobasil
anah DEP ET patie inst		Vacuum and a broken at Joping Benjamy Benjamy
		San Brashila Qalan la Iarganya Mas. Wilan dasmal ap
newsense and and an and an and an and and and an		eller joh Sinishen) *1.6 15 kml Opiner 880 Data Center (DC) PARKK (CC)
		data. Will har descent op after jok Statuten (* 1.4 13 Intel Opane SED Data Costan
		Data Canter (DC) Palatati (NVNia PCasil ni, 240, 30 247, 30 247, 30
		12 dish 7 Table 2000 2 dish 7 Table 2000 4 dish 7 Table 2000 4 dish 7 Table 2000 1 dish 7 Table 2000
prentonal Coldina application		22 Olika Angka ali Angka a
		29 an manuty antimit Train an and
10V (imperate	Sper Rollin	Likit AL Sillip artise Sillip artise Sillip artise
BDY income with materials income its materials DBE maje. DBE maje. 0 Gall analy. 0 Gall analy.	ReaCPE 2.1.2 ReacPE 2.1.2 ReacPE ReaCPE ReacPE ReaCPE ReaCPE ReaCPE ReaCPE ReaCPE ReaCPE REAC	(2062) space of the strength o
() Guid away)		e contrada 6 mil 7 mar / 1 1 mar / 1
		Tore or and parameter or ABE
unating \$27 With data Land	BastOFE Bindwise 7.1.3 eK	(1.42360)s with, 2008 Bible reads (2014) gabt reads (2014) gabt reads (2014) gabt reads (2014) gabt reads (2014) math line (2014) gabt reads (2014) math line (2014) gabt reads (2014) math line (2014) math line
		anner an
		Total and
withamed BV BackSt Co. Domain Stabilitie	RecOFE Book vice 7.4.2 0.24	11200000x Textmin
nonling on Lond the block	2.42 0.26	CEO 1 space enants (BADCognitiv CBADCognitiv Comment ² dentee comment ² comment ² com
		enerview 6 mi 2 mir / mi 6 Salan 6 Salan 8 Salan 8 Salan

Stripe Pattern Details

It is possible to query this information from the deep login node, for instance:

```
manzano@deep $ fhgfs-ctl --getentryinfo /work/manzano
Path: /manzano
Mount: /work
EntryID: 1D-53BA4FF8-3BD3
Metadata node: deep-fs02 [ID: 15315]
Stripe pattern details:
+ Type: RAID0
+ Chunksize: 512K
+ Number of storage targets: desired: 4
manzano@deep $ beegfs-ctl --getentryinfo /sdv-work/manzano
Path: /manzano
Mount: /sdv-work
EntryID: 0-565C499C-1
Metadata node: deeper-fs01 [ID: 1]
Stripe pattern details:
+ Type: RAID0
+ Chunksize: 512K
+ Number of storage targets: desired: 4
```

Or like this:

```
manzano@deep $ stat -f /work/manzano
File: "/work/manzano"
  TD: 0
         Namelen: 255
                              Type: fhgfs
Block size: 524288 Fundamental block size: 524288
Blocks: Total: 120178676 Free: 65045470 Available: 65045470
Inodes: Total: 0
                      Free: 0
manzano@deep $ stat -f /sdv-work/manzano
File: "/sdv-work/manzano"
  ID: 0 Namelen: 255
                             Type: fhgfs
Block size: 524288 Fundamental block size: 524288
Blocks: Total: 120154793 Free: 110378947 Available: 110378947
Inodes: Total: 0
                        Free: 0
```

See <a>?http://www.beegfs.com/wiki/Striping for more information.

Additional infos

Detailed information on the BeeGFS Configuration can be found ?here.

Detailed information on the BeeOND Configuration can be found ?here.

Detailed information on the Storage Configuration can be found ?here.

Detailed information on the Storage Performance can be found ?here.

Notes

• dd test @dp-dam01 of the DCPMM in appdirect mode:

```
[root@dp-dam01 scratch]# dd if=/dev/zero of=./delme bs=4M count=1024 conv=sync
1024+0 records in
1024+0 records out
4294967296 bytes (4.3 GB) copied, 1.94668 s, 2.2 GB/s
```

- The /work file system which is available in the DEEP-EST prototype, is as well reachable from the nodes in the SDV (including KNLs and ml-gpu nodes) but through a slower connection of 1 Gb/s. The file system is therefore not suitable for benchmarking or I/O task intensive jobs from those nodes
- Performance tests (IOR and mdtest) reports are available in the BSCW under DEEP-ER → Work Packages (WPs) → WP4 → T4.5 Performance measurement and evaluation of I/O software → Jülich DEEP Cluster → Benchmarking reports:
 <u>?https://bscw.zam.kfa-juelich.de/bscw/bscw.cgi/1382059</u>
- Test results and parameters used are stored in JUBE:

```
user@deep $ cd /usr/local/deep-er/sdv-benchmarks/synthetic/ior
user@deep $ jube2 result benchmarks
user@deep $ cd /usr/local/deep-er/sdv-benchmarks/synthetic/mdtest
user@deep $ jube2 result benchmarks
```