# **Table of Contents**

File Systems			
Available file systems	2		
Stripe Pattern Details	3		
Additional infos	3		
Notes	3		

## **File Systems**

## Available file systems

On the DEEP-EST system, three different groups of file systems are available:

- the <u>?JSC GPFS file systems</u>, provided via <u>?JUST</u> and mounted on all JSC systems;
- the DEEP-EST parallel BeeGFS file systems, available on all the nodes of the DEEP-EST system;
- the file systems local to each node.

The users home folders are placed on the shared GPFS file systems. With the advent of the new user model at JSC (<u>?JUMO</u>), the shared file systems are structured as follows:

- \$HOME: each JSC user has a folder under /p/home/jusers/, in which different home folders are available, one per system he/she has access to. These home folders have a low space quota and are reserved for configuration files, ssh keys, etc.
- \$PROJECT: In JUMO, data and computational resources are assigned to projects: users can request access to a project and use the resources
  associated to it. As a consequence, each user can create folders within each of the projects he/she is part of (with either personal or permissions to
  share with other project members). For the DEEP project, the project folder is located under /p/project/cdeep/. Here is where the user should
  place data, and where the old files generated in the home folder before the JUMO transition can be found.

The DEEP-EST system doesn't mount the \$SCRATCH file systems from GPFS, as it is expected to provide similar functionalities with its own parallel and local file systems.

The following table summarizes the characteristics of the file systems available in the DEEP-EST and DEEP-ER (SDV) systems. Please beware that the \$project (all lowercase) variable used in the table only represents any JuDoor project the user might have access to, and that it is not really exported on the system environment. For a list of all projects a user belongs to, please refer to the user's <a href="#">?JuDoor page</a>. Alternatively, users can check the projects they are part of with the jutil application:

\$ jutil user projects -o columns

Mauri Paint	Over can write/wad kafram	Ouslay	7,94	Elulai / Local	3W Version	Sister Patiens Details	Maximum Measured Performance (see fourmales)	Description	084
phone	phanetae	翻n	GPTS exported via MPS				humones)	JUST GPF3 Hate deelay; used only for configuration Sim.	
								Siel JUST OPF3 Project directory; OPF3 main storage the	
p-propert	p propertition	arv. Der-est	GPF3 exported via NP3	Challent .				starage the system; not suitable for performance alevant applications or benchmarking	
								applications or benchmarking JUST OPP3 Anabise	E you plan to use the
ana.	and Tyrigen	ligh rade anly (illegu)	GPF2 equited via SF2	Contra				JUST GPF3 AUXie dimitury dimitury Longreen data not used in a long time; Data long time; Data	T you yian tu use the active, phase get in phase get in the system to the system submitted submi
incell	not groups	C887-637	BardF3	Ghasa	BeedP3 7.1.2			days. Risch Sie Spielers, nie baskep, Secar od maaks Sir permanent data stolaspe. Depresated Spielers, nie Spielers, nie Saskep, Secar od maaks Sir permanent data stolaspe	<u></u>
aba	204	SDV, DEEP-637	Bard#3	Chana	Bee073 7.12			Pad work the system, no backup, hence not meant for permanent data corage	
Roomh	Roadin	0687-627	e% local patilion	Lear				Alla sciege faule scat sciela. The sciela. The sciela. Will be cleared up after jub Sciebes, Size diffes on the encodancy Neuroscient Sciebes, Size diffes on the encodancy science of the pair science of the pair sci science of the pair science of the pair science of	-
Pomehoand		DAM patilion	5mai 330 (46)	Lour				Scialith Ter liquies Sir lengorary data: Will be cleared up after job Southerd 11.5 TB load Cluste State Data Creater (DC) Politocx (PCMIe PCIeC x6, 2.57, 3D 3Pund()	
Pureboard	Cirvenelucialid	DAM patition	local SSD (exit)	Lour				The second secon	
peerson.	( pressure	DAM	DOPMM in Appliest mode	Loop			2.2 GBA Graphe Ad Bell In Ap-Associ		13 128 in dy-dan(01,02 2 138 in dy-dan(02 16 both Optimie DC Perceases Manuary (DCP486) 20608 DMMN based on both 320 3Paid source/able security
lune	Javana baga	anv	NVMe device	Louis	Bee0/3 7.1.2	Ebsh 620: Ø	1148 MBA wile, 3208 MBA mad 120545 cinate, 425827 opti-5 micout?	1 NVMs device autobile at each 320V compute solds	Individing Test masks and patameters user bidrey 8 ad user bidrey 8 years benchmarks user bidrey 8 years benchmarks user bidrey 8 years benchmarks

### **Stripe Pattern Details**

It is possible to query this information from the deep login node, for instance:

```
manzano@deep $ fhgfs-ctl --getentryinfo /work/manzano
Path: /manzano
Mount: /work
EntryID: 1D-53BA4FF8-3BD3
Metadata node: deep-fs02 [ID: 15315]
Stripe pattern details:
+ Type: RAID0
+ Chunksize: 512K
+ Number of storage targets: desired: 4
manzano@deep $ beegfs-ctl --getentryinfo /sdv-work/manzano
Path: /manzano
Mount: /sdv-work
EntryID: 0-565C499C-1
Metadata node: deeper-fs01 [ID: 1]
Stripe pattern details:
+ Type: RAID0
+ Chunksize: 512K
+ Number of storage targets: desired: 4
```

#### Or like this:

```
manzano@deep $ stat -f /work/manzano
File: "/work/manzano"
  TD: 0
         Namelen: 255
                              Type: fhgfs
Block size: 524288 Fundamental block size: 524288
Blocks: Total: 120178676 Free: 65045470 Available: 65045470
Inodes: Total: 0
                      Free: 0
manzano@deep $ stat -f /sdv-work/manzano
File: "/sdv-work/manzano"
  ID: 0 Namelen: 255
                             Type: fhgfs
Block size: 524288 Fundamental block size: 524288
Blocks: Total: 120154793 Free: 110378947 Available: 110378947
Inodes: Total: 0
                        Free: 0
```

See <a>?http://www.beegfs.com/wiki/Striping for more information.</a>

#### Additional infos

Detailed information on the BeeGFS Configuration can be found ?here.

Detailed information on the BeeOND Configuration can be found ?here.

Detailed information on the Storage Configuration can be found ?here.

Detailed information on the Storage Performance can be found ?here.

#### Notes

• dd test @dp-dam01 of the DCPMM in appdirect mode:

```
[root@dp-dam01 scratch]# dd if=/dev/zero of=./delme bs=4M count=1024 conv=sync
1024+0 records in
1024+0 records out
4294967296 bytes (4.3 GB) copied, 1.94668 s, 2.2 GB/s
```

- The /work file system which is available in the DEEP-EST prototype, is as well reachable from the nodes in the SDV (including KNLs and ml-gpu nodes) but through a slower connection of 1 Gb/s. The file system is therefore not suitable for benchmarking or I/O task intensive jobs from those nodes
- Performance tests (IOR and mdtest) reports are available in the BSCW under DEEP-ER → Work Packages (WPs) → WP4 → T4.5 Performance measurement and evaluation of I/O software → Jülich DEEP Cluster → Benchmarking reports:
   <u>?https://bscw.zam.kfa-juelich.de/bscw/bscw.cgi/1382059</u>
- Test results and parameters used are stored in JUBE:

```
user@deep $ cd /usr/local/deep-er/sdv-benchmarks/synthetic/ior
user@deep $ jube2 result benchmarks
user@deep $ cd /usr/local/deep-er/sdv-benchmarks/synthetic/mdtest
user@deep $ jube2 result benchmarks
```