

Table of Contents

Latest news on the DEEP-EST prototype system	2
System software	2
OS	2
EasyBuild	2
System hardware	2
CM nodes	2
ESB nodes	2
DAM nodes	2
BXI nodes, Network Federation Gateways	2
SDV	2
File Systems	2

Latest news on the DEEP-EST prototype system

This is a summary of the latest news concerning the system. For a list of known problems related to the system, please refer to [this page](#).

Last update: 2023-05-167

System software

- ParaStation update (psmgmt) to 5.1.53-1 has been performed

OS

- compute nodes, bxi nodes and login node have been updated to Rocky 8.6
- file servers and master nodes to follow

EasyBuild

- 2023 stage is the default now

System hardware

CM nodes

- the cluster nodes have direct EBR IB access to the SSSM storage nodes now (without using the IB ↔ 40 GbE gateway)

ESB nodes

- all ESB nodes (dp-esb[01-75]) are using EDR Infiniband interconnect (no Extoll anymore)
- SSSM and AFSM file servers can be directly accessed through IB

DAM nodes

- DAM nodes are using EDR Infiniband (instead of using 40 GbE and Extoll) now
- SSSM and AFSM servers can be directly accessed through IB
- current accelerator layout:
 - dp-dam[01-08]: 1 x Nvidia V100 GPU
 - dp-dam02: 1 x Intel PAC D5005 FPGA (for testing)
 - dp-dam[09-12]: 2 x Nvidia V100 GPU
 - dp-dam[13-16]: 2 x Intel PAC D5005 FPGA

BXI nodes, Network Federation Gateways

- former network federation gateways now used for BXI testing: dp-nfgw[02,03,05,06]
- can be accessed via Slurm using partition dp-bxi

SDV

- FPGA test nodes available for using FPGAs with oneAPI, OpenCL:
 - Arria10: deeper-sdv[09,10]
 - Stratix10: dp-sdv-esb[01,02]

File Systems

please also refer to the [Filesystems overview](#)

- quota has been added to /tmp on deepv to avoid congestion
 - the All Flash Storage Module (AFSM) provides a fast work file system mounted to /afsm (symbolic link to /work) on all compute nodes (CM, DAM, ESB) and the login node (deepv)
 - it is managed via project subfolders: after activating a project environment using jutil command the \$WORK will be set accordingly

- the older System Services and Storage Module (SSSM) work file system is obsolete, but still available at (`/work_old`) for data migration
- SSSM still serves the `/usr/local/software` file system, but
 - starting from Rocky 8 image `/usr/local` will be a local file system on the compute nodes
 - `/usr/local/software` is still shared and provided by the SSSM storage
 - in addition to the !Easybuild software stack the shared `/usr/local/software` filesystem contains some manually installed software in a `legacy` subfolder