# **Table of Contents**

Detected HW and node issues	2
CM nodes	2
DAM nodes	2
ESB nodes	2
Software issues	2
LDAP error message during login	2
SLURM jobs	2
/sdv-work corrupted	2
GPU direct usage with IB on ESB	2
GPU direct usage with Extoll on DAM	3
slurmtop	3

This page is intended to give a short overview on known issues and to provide potential solutions and workarounds to the issues seen.

To stay informed, please refer to the News page. Also, please pay attention to the information contained in the "Message of the day" displayed when logging onto the system.

#### **Detected HW and node issues**

#### CM nodes

- dp-cn09: node currently reserved for special use case
- dp-cn10: node currently reserved for special use case
- dp-cn49: node currently reserved for special use case

### **DAM** nodes

- dp-dam03: node currently reserved for special use case
- dp-dam07: showing problems with its FPGA (#2353)
- dp-dam08: issues with second socket CPU seen (#2304)
- dp-dam09: node currently reserved for special use case
- dp-dam10: node currently reserved for special use case

#### **ESB** nodes

- dp-esb08: GPU shows PCIe x8 connection only (#2370)
- dp-esb11: no GPU device detected, under repair (#2358)
- dp-esb23: MCE problems (#2350)
- · dp-esb24: offline due to spontaneous reboot

### Software issues

### LDAP error message during login

- seeing frequent failovers between the master nodes that are being investigated
- currntly, a failover might lead to seeing the following or a similar error message during login:

Error: ldap\_search: failed to open connection to LDAP server(s) and search. Exception: socket connection error while open

- the message usually can be ignored
- in addition, some of the environment variables, e.g. \$PROJECT are not set (properly)
- if you see further issues or cannot login at all, please write an email to the support list: sup(at)deep-est.eu

## **SLURM** jobs

- due to introduction of accounting with the start of the early access program there is some re-configuration of user accounts needed within SLURM to assign the correct QOS levels and priorities for the jobs
- this might lead to (temporary) failing job starts for certain users
- if you cannot start jobs via SLURM, please write an email to the support list: sup(at)deep-est.eu

# /sdv-work corrupted

- due to failing disks the SDV work filesystem mounted to /sdv-work got corrupted and has to be rebuild
- meta data still seems to be ok, so directories and files can be seen, but no file access is possible
- not sure if any data can be recovered since work filesystems are not in backup

### GPU direct usage with IB on ESB

• currently only available via Developer stage, for testing load:

```
module --force purge
module use $OTHERSTAGES
module load Stages/Devel-2019a
module load GCC/8.3.0 or module load Intel
module load ParaStationMPI
```

• use PSP\_CUDA=1 and PSP\_UCP=1

# GPU direct usage with Extoll on DAM

- new Extoll driver for GPU direct over Extoll currently being tested on the DAM nodes
- only available via Developer stage, for testing load:

```
module --force purge
module use $OTHERSTAGES
module load Stages/Devel-2019a
module load GCC/8.3.0 or module load Intel
module load ParaStationMPI
```

• expect performance and stability issues

### slurmtop

The slurmtoptool is not working properly, a workaround is to call it via

slurmtop 2> /dev/null