Wikiprint Book

Title: Public/User_Guide/PaS

Subject: DEEP - Public/User_Guide/PaS

Version: 70

Date: 04.05.2024 13:25:02

Table of Contents

Detected HW and node issues	3
CM nodes	3
DAM nodes	3
ESB nodes	3
SDV ESB nodes	3
Software issues	3
LDAP error message during login	3
SLURM jobs	3
/sdv-work corrupted	3
GPU direct usage with IB on ESB	4
GPU direct usage with Extoll on DAM	4
Horovod	4
slurmtop	4

This page is intended to give a short overview on known issues and to provide potential solutions and workarounds to the issues seen.

To stay informed, please refer to the <u>News page</u>. Also, please pay attention to the information contained in the "Message of the day" displayed when logging onto the system.

2020-05-12: Currently no login possible

Detected HW and node issues

CM nodes

- · dp-cn09 dp-cn16: nodes currently reserved for special use case during working hours
- dp-cn49: node currently reserved for special use case

DAM nodes

- · dp-dam03: node currently reserved for special use case
- dp-dam04: showing low streams performance (<u>#2401</u>)
- dp-dam05: node currently reserved for special use case
- dp-dam07: showing problems with its FPGA (#2353)
- dp-dam08: issues with second socket CPU seen (#2304)

ESB nodes

- dp-esb08: GPU shows PCIe x8 connection only (#2370)
- dp-esb11: no GPU device detected, under repair (#2358)
- dp-esb23: MCE problems (#2350)
- dp-esb24: used for oneAPI testing (<u>#2396</u>)

SDV ESB nodes

• dp-sdv-esb[01,02]: replacement of V100 cards

Software issues

LDAP error message during login

- · seeing frequent failovers between the master nodes that are being investigated
- currntly, a failover might lead to seeing the following or a similar error message during login:

Error: ldap_search: failed to open connection to LDAP server(s) and search. Exception: socket connection error while openi

- the message usually can be ignored
- in addition, some of the environment variables, e.g. \$PROJECT are not set (properly)
- if you see further issues or cannot login at all, please write an email to the support list: sup(at)deep-est.eu

SLURM jobs

- due to introduction of accounting with the start of the early access program there is some re-configuration of user accounts needed within SLURM to
 assign the correct QOS levels and priorities for the jobs
- this might lead to (temporary) failing job starts for certain users
- if you cannot start jobs via SLURM, please write an email to the support list: sup(at)deep-est.eu

/sdv-work corrupted

- due to failing disks the SDV work filesystem mounted to /sdv-work got corrupted and has to be rebuild
- meta data still seems to be ok, so directories and files can be seen, but no file access is possible
- · not sure if any data can be recovered since work filesystems are not in backup

GPU direct usage with IB on ESB

• currently only available via Developer stage, for testing load:

```
module --force purge
module use $OTHERSTAGES
module load Stages/Devel-2019a
module load GCC/8.3.0 or module load Intel
module load ParaStationMPI
```

• use PSP_CUDA=1 and PSP_UCP=1

GPU direct usage with Extoll on DAM

- new Extoll driver for GPU direct over Extoll currently being tested on the DAM nodes
- only available via Developer stage, for testing load:

```
module --force purge
module use $OTHERSTAGES
module load Stages/Devel-2019a
module load GCC/8.3.0 or module load Intel
module load ParaStationMPI
```

• expect performance and stability issues

Horovod

· currently only working with the developer stage

slurmtop

The slurmtoptool is not working properly, a workaround is to call it via

slurmtop 2> /dev/null